

DEPARTMENT OF HEALTH AND HUMAN SERVICES FOOD AND DRUG ADMINISTRATION				REPORT OF CERTIFICATION <i>(Fabrication of Single-Service Containers and/or Closures for Milk and/or Milk Products)</i>				INTERNAL USE ONLY: 30779																		
1. NAME OF SINGLE-SERVICE FABRICATING PLANT M & M INDUSTRIES				2. CITY PHOENIX				3. STATE AZ																		
4. STREET 4739 W. JEFFERSON ST.				5. MFG. CODE NO. 198				6. CODE Product 4 - Material 3																		
7. AGENCY OR SSC, AS APPLICABLE, PROVIDING ROUTINE INSPECTION				Product Code (60)				Material Code (62)																		
7.a. RATING / CERTIFICATION PERSONNEL		7.b. DATE OF PLANT CERTIFICATION		7.d. EXPIRATION DATE *		1. Containers		1. Metal		2. Paper (Include laminates)																
<input type="radio"/> SHD <input type="radio"/> OTHER <input checked="" type="radio"/> SDA <input type="radio"/> TPC <input type="radio"/> SDL <input type="radio"/> SSC		07/ 28/ 2021		07/ 27/ 2022		2. Closures		3. Plastic		3. Plastic																
		7.c. SANITATION COMPLIANCE RATING ?				3. Other products		4. Metal and paper		4. Metal and plastic																
		86				4. Containers and closures		5. Metal and plastic		5. Metal and plastic																
						5. Containers and other products		6. Paper and plastic		6. Paper and plastic																
						6. Closures and other products		7. Metal paper and plastic		7. Metal paper and plastic																
						7. Containers, closures and other products		8. Glass		8. Glass																
								9. Rubber		9. Rubber																
								10. Paper, metal, plastic and glass		10. Paper, metal, plastic and glass																
								11. Ceramic		11. Ceramic																
* EXPIRATION DATE Certification of single-service manufacturing plants may be valid for a period not to exceed one (1) or two (2) years from the earliest certification date. The expiration date is one (1) or two (2) years from the earliest certification date. NOTE: Certifications conducted by SSCs shall only be valid for a period not to exceed one (1) year from the earliest certification date.				8. SRO OR SSC SRO				9. CERTIFICATION RECOMMENDED <input checked="" type="radio"/> YES <input type="radio"/> NO																		
								9.a. LISTING TYPE <input type="radio"/> FULL <input checked="" type="radio"/> PARTIAL																		
LABORATORY CONTROL																										
10. NAME AND ADDRESS (OR CODE) OF APPROVED LABORATORY Eurofins DQCI, LLC Horsham Pennsylvania CERTIFICATION # US-42-B-00141																										
11. INSPECTION RESULTS <i>(Place an "X" under items involved)</i>																										
1	2	3	4	5	6	7	8	9	10	11	12	13 a,b,c,f, g,i,k	13 d,e, h,j	14	15	16 a	16 b,c	17 a,b, d,e	17 c	18	19	20 a,b,f	20 c,d,e	21	BACTI	COLI
												X											X			
12. PERMISSION TO PUBLISH																										
Permission is hereby granted to release and publish the above-stated certification for use by Regulatory/Rating Agencies and prospective purchases.																										
It is understood and agreed by the undersigned that the official Rating Agency or SSC, as applicable, may review and appraise the single-service fabricating plant at any time during the period of time the above certification is in effect. It is further understood that failure to maintain the above certification will subject this plant to withdrawal from the IMS List. We will notify the Rating Agency or SSC, as applicable, of any significant changes made in the operation of this plant.																										
12.a. NAME OF PLANT M&M Industries																										
12.b. NAME OF OFFICER AUTHORIZING RELEASE / 12.c. TITLE TERRY IKER / QUALITY ASSURANCE PROJECT MANAGER																										
13. SUBMISSION OF REPORT BY RATING AGENCY OR SSC, AS APPLICABLE																										
13.a. DATE OF REPORT 07/29/2021				13.b. RECOMMENDED CLASSIFICATION ACCEPTED <input checked="" type="radio"/> YES <input type="radio"/> NO				13.c. SUBMITTED BY ROLAND S. MADER, SRO																		
FOR FDA USE ONLY																										
14. DATE RECEIVED 07/30/2021				15. PUBLICATION OF RATING RECOMMENDED <input checked="" type="radio"/> YES <input type="radio"/> NO																						
16. DATE TRANSMITTED 07/30/2021				17. FDA Milk Specialist MARK S MILLER																						
FORM FDA 2359d (11/15)																										